

ſ







Figure 2











Figure 7

PCT/EP2002/008587







Figure 9

PCT/EP2002/008587



								$\overline{}$	
				Y05		Y05		Y05	
				Y04		Y04		Y01	
				Y03		Y03		Y03	
				Y02		Y02	-	TF C4	
				Y01		¥0	avinç	Y04	
			guir	V00	-	V00	interle	700	
Y05		Y05	rate matching	Y05	add TFCI	Y05	physical layer interleaving	Y02	
Y04	je je	Y04	rate	Y04	adc	Y04	sical I	1F	2
Y03	chan	Y03 Y04		Y03		Y03	phy	Y03	
Y02	transport channel	Y02		Y02		Y02		Y05	
Y01	tran	Y01		Y01		Y00 Y01		¥04	
V00		V00		V00		, V00		± 5	
	_J		•			⊢ Ω 42		Y04 Y02	
						TF TF CI2 CI4		Y04	
						TF TF CIO CI1		ν.	
						TF CS CS		1	<u></u>
	•								

Figure 11(a)

					_	13/3.	2					
		·	ĺ	X08	To Figure 11(c)							
X0B		X08		X05					80x		X08	
<u> </u>		×05		X07					X02		90x	
9 X0A									X A O X		× × ×	
60x		x07		3 X01					\vdash			
80x		X 1		60X					X 04	bu	1 CH	
X07		60X		X03					90X	rleav	X02	
90X		X03							00x	r inte	00 X	
X05		X08		X08			X 08	add TFCI	Y05	layeı	702	(
X04		X02		X02			X02	add	Y04	physical layer interleaving	CI2	
x03		X0A		X0A			X0A		Y03	hd	X0A	Figure 11(
X02		X04		X04			X04		Y02		Y05	
X01	_	90X		90X			90x		Y01		401	
00x	ing	00 X	Ē	00X		m	00X		700 7		부등	
	transport channel Interleaving		segmentation			rate matching			TF TF CI2 CI4		Y04 X04	
705]=	Y05	Š	Y05		ē	Y05		무 등	4	V00	
Y04		¥04		Y04			Y04		는 8 등		는 응 보	
Y03		Y03		Y03			Y03					
Y02	1	Y02		Y02			Y02					
¥04	-	¥0.		Y01			Y01	1				
700 Y	-	700 Y		, 00 <i>Y</i>	1		700 Y	1				
۶	ل	۶		<u> </u>	ز			J	•			

